



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Contents | Page # |
|-------------------|--------|
| Agriculture | 2 |
| Appliance | 2 |
| Building Envelope | 2 |
| Clean Energy | 2 |
| Data Center | 3 |
| Demand Response | 3 |
| Food Service | 3 |
| HVAC | 3 |
| Industrial | 4 |
| Lighting | 5 |
| Pool Products | 6 |
| Refrigeration | 6 |
| Transportation | 7 |
| Water Heating | 7 |
| Other | 7 |

Be sure to confirm your fuel source eligibility

Customers must receive service from at least one Investor-Owned Utility for the property (PG&E, SDG&E, SoCal Edison, SoCalGas) to be eligible for financing under the Program. However, some measures are specific to a gas or electric fuel source. Customers who receive electric service from a MUNI (e.g. LADWP or SMUD) may install electric measures, but they will be considered Non-EEMs for the purpose of calculating the credit enhancement. Up to \$1 million of financing per project is eligible to receive a credit enhancement. Up to 30% of that credit enhanced amount may include Non-EEMs.

| Customer's fuel source | Gas: IOU Electricity: IOU | Gas: IOU Electricity: non-IOU | Gas: non-IOU Electricity: IOU |
|---------------------------------------|--|--|--|
| Credit Enhancement eligibility | At least 70% of the financing is for gas or electric EEMs. Up to 30% may be used for other property improvements. | At least 70% of the financing is for gas EEMs or EEMs that use both gas and electricity. Up to 30% may be used for electric EEMs and other property improvements. | At least 70% of the financing is for electric EEMs or EEMs that use both gas and electricity. Up to 30% may be used for gas EEMs and other property improvements. |

For more information on project eligibility, please review the [At-a-glance Project Eligibility Checklist](#) resource.



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|---|--|---|---|------------|
| | SI | E | G | |
| Agriculture Measures | | | | |
| Automatic Pump Shut-off Sensor | ✓ | ✓ | | AG-APMS |
| Dehumidification System using Solid or Liquid Desiccant | | ✓ | | AG-DEHD |
| Dehumidification System with On-site Heat Recovery | | ✓ | | AG-DEHR |
| Greenhouse Energy Curtain | ✓ | ✓ | ✓ | AG-CURT |
| Heat Recovery | ✓ | ✓ | ✓ | AG-HREC |
| High Efficiency Booster or Well Pump | ✓ | ✓ | | AG-BWLP |
| High Efficiency Irrigation Pump | ✓ | ✓ | | AG-IPMP |
| High Efficiency Ventilation Fan | ✓ | ✓ | | AG-HEVF |
| Irrigation Pump Performance Testing and Optimization | | ✓ | | AG-IPMT |
| Plate Cooler | ✓ | ✓ | | AG-PLTC |
| Sprinkler-to-Drip Irrigation | ✓ | ✓ | | AG-DIRR |
| VFD on Booster or Well Pump Motor | ✓ | ✓ | | AG-VFDW |
| VFD on Pump or Fan Motor | ✓ | ✓ | | AG-VFDM |
| Appliance Measures | | | | |
| Air Cleaner/Purifier ENERGY STAR | ✓ | ✓ | | AP-ACLN |
| Clothes Dryer with Heat Pump (Electric) ENERGY STAR | ✓ | ✓ | | AP-DRYH |
| Convection Electric Oven | ✓ | ✓ | | AP-CNVE |
| Convection Gas Oven | | | ✓ | AP-CVGB |
| Induction Range or Cooktop ENERGY STAR | ✓ | ✓ | | AP-INDU |
| Range Hood ENERGY STAR | | ✓ | | AP-RHDB |
| Residential In-Unit Clothes Dryer (Electric) ENERGY STAR | ✓ | ✓ | | AP-DRYE |
| Residential In-Unit Clothes Dryer (Gas) ENERGY STAR | | | ✓ | AP-DRGB |
| Residential In-Unit Clothes Washer ENERGY STAR | ✓ | ✓ | ✓ | AP-WASH |
| Residential In-Unit Dishwasher ENERGY STAR | ✓ | ✓ | ✓ | AP-DISH |
| Residential In-Unit Freezer ENERGY STAR | ✓ | ✓ | | AP-FREZ |
| Residential In-Unit Refrigerator ENERGY STAR | ✓ | ✓ | | AP-FRIG |
| Building Envelope Measures | | | | |
| Air Sealing | | ✓ | ✓ | BE-AIRS |
| Attic Insulation | | ✓ | ✓ | BE-INSA |
| Cool Roof | | ✓ | | BE-ROOF |
| Floor Insulation | | ✓ | ✓ | BE-INSF |
| Heat Reflective Coating Product must have solar reflectance ≥ 0.5 as tested to ASTM C1549-16 | | ✓ | | BE-RADC |
| Radiant Barrier | | ✓ | ✓ | BE-RADB |
| Wall Insulation | | ✓ | ✓ | BE-INSW |
| Window Film | ✓ | ✓ | ✓ | BE-WFLM |
| Windows/Glass Doors | | ✓ | ✓ | BE-WIND |
| Clean Energy | | | | |
| Anaerobic Digester for Biogas Production Biogas must be used on site to displace natural gas or to generate electricity. | | ✓ | ✓ | CE-DIGE |
| Battery Storage Must be installed with an existing solar photovoltaic system or used for load shifting. | | ✓ | | CE-BATT |
| Microgrid Equipment, Software, or Controllers Microgrid must have a clean energy generation source, storage, and controls for load management. Microgrid may be grid connected or off-grid. | | ✓ | | CE-GRID |
| Stand Alone Solar-Powered Equipment Equipment must have solar PV and battery storage for the primary purpose of powering the device. Equipment may be grid connected or off-grid. | | ✓ | | CE-SOLR |
| Solar Photovoltaic + Battery Storage | | ✓ | | CE-SOBT |
| Wind Turbine | | ✓ | | CE-TURB |



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|--|--|---|---|------------|
| | SI | E | G | |
| Data Center Measures | | | | |
| Airflow Management Device | | ✓ | | DC-AIRM |
| Aisle Containment | ✓ | ✓ | | DC-AISC |
| Aisle Layout Optimization Separate hot and cold aisles | ✓ | ✓ | | DC-AISO |
| Efficient Network Equipment ENERGY STAR | ✓ | ✓ | | DC-ENET |
| Efficient Server ENERGY STAR | ✓ | ✓ | | DC-ESER |
| Efficient UPS ENERGY STAR | ✓ | ✓ | | DC-EUPS |
| Server Consolidation | ✓ | ✓ | | DC-SERC |
| Server Virtualization | ✓ | ✓ | | DC-SERV |
| Demand Response Measures | | | | |
| Automated Demand Response Equipment (Electric) | | ✓ | | DR-ADRE |
| Automated Demand Response Equipment (Gas) | | | ✓ | DR-ADRG |
| Mechanical Energy Storage (MES) System Must be used for the purpose of permanent load shifting (PLS) | | ✓ | | DR-MESS |
| Thermal Energy Storage (TES) System Must be used for the purpose of permanent load shifting (PLS) | | ✓ | | DR-TESS |
| Food Service Measures | | | | |
| Commercial Cooking Equipment (Electric) ENERGY STAR electric griddles, ovens, steam cookers, or fryers | ✓ | ✓ | | FS-COOK |
| Commercial Cooking Equipment (Gas) ENERGY STAR gas griddles, ovens, steam cookers, or fryers | | | ✓ | FS-COOG |
| Commercial Dishwashing Equipment (Electric Hot Water) ENERGY STAR | | ✓ | | FS-DISH |
| Commercial Dishwashing Equipment (Gas Hot Water) | | | ✓ | FS-DISG |
| Hot Holding Cabinet ENERGY STAR | ✓ | ✓ | | FS-HHCA |
| Low Flow Pre-Rinse Spray Valve (Electric Hot Water) | ✓ | ✓ | | FS-SPRA |
| Low Flow Pre-Rinse Spray Valve (Gas Hot Water) | ✓ | | ✓ | FS-SPRG |
| Ohmic or Joule Heating | | ✓ | ✓ | FS-OJHT |
| On-demand Hand Wrap Machine | ✓ | ✓ | | FS-WRAP |
| Ventilation Hood Control | | ✓ | ✓ | FS-HOOD |
| HVAC Measures | | | | |
| Air Filter Alarm or Sensor | | ✓ | ✓ | HV-FALR |
| Air Filter Upgrade - HEPA HEPA filter upgrade. Must be installed with an ECM fan motor and a filter sensor or alarm. | | ✓ | ✓ | HV-HEPA |
| Air Filter Upgrade - MERV MERV 13-16 air filter upgrade. Must be installed with an ECM fan motor and a filter sensor or alarm. | | ✓ | ✓ | HV-MERV |
| Air-Side or Water-Side Economizer | | ✓ | | HV-ECON |
| Air-Source or Ground-Source Heat Pump | | ✓ | | HV-HPMP |
| Automatic Filter Replacement | ✓ | ✓ | | HV-AFSE |
| Automatic Temperature Setpoint Control | | ✓ | | HV-ATSC |
| Chilled Water Outdoor Temperature Reset | | ✓ | | HV-CWOR |
| Chiller Optimization Control | | ✓ | | HV-CHOP |
| Chiller Upgrade, Retrofit, or Replacement | | ✓ | | HV-CHIL |
| Cold Water Booster Pump Variable speed pump with ECM motor | | ✓ | | HV-CWBP |
| Compressor or Condenser | | ✓ | | HV-COMP |
| Condensate Recovery | | | ✓ | HV-CONR |
| Cooling Tower Upgrade, Retrofit, or Replacement | | ✓ | | HV-TOWR |
| Dedicated Outside Air System (DOAS) | | ✓ | ✓ | HV-DOAS |
| Demand Controlled Ventilation | | ✓ | ✓ | HV-DCVT |
| Diagnostic or Fault Detection Alert Systems | | ✓ | ✓ | HV-ALRT |
| Dual Enthalpy Control | | ✓ | | HV-ENTH |
| Duct Insulation | ✓ | ✓ | ✓ | HV-DUCI |
| Duct Sealing | | ✓ | ✓ | HV-DUCX |
| Duct Sizing or Optimization | | ✓ | ✓ | HV-DUCT |
| ECM Furnace Fan Motor | | ✓ | | HV-FECM |
| Efficient Make-Up Air Units | | ✓ | ✓ | HV-EMAU |



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|---|--|---|---|------------|
| | SI | E | G | |
| HVAC Measures (cont.) | | | | |
| Evaporative Cooling | | ✓ | | HV-WCFA |
| Fan or Motor Control | | ✓ | | HV-CTRL |
| Furnace - Commercial | | | ✓ | HV-FURC |
| Furnace - Residential In-Unit | | | ✓ | HV-FURR |
| Gas Boiler - Residential In-Unit | | | ✓ | HV-BOIR |
| Gas Hydronic Boiler - Commercial | | | ✓ | HV-BOIC |
| Gas Steam Boiler - Commercial | | | ✓ | HV-STEA |
| Heat Recovery | | ✓ | ✓ | HV-HTRE |
| Heat/Energy Recovery Ventilator | | ✓ | ✓ | HV-HERV |
| Heat Pipe Heat Exchanger | | ✓ | ✓ | HV-HPHE |
| High Efficiency HVAC Fan | | ✓ | | HV-EFAN |
| High Efficiency HVAC Pump | | ✓ | | HV-EPMP |
| High Performance Circulator Pump Variable speed pump with ECM motor | | ✓ | | HV-HPCP |
| Hotel Guest Room Occupancy Temperature Control | ✓ | ✓ | ✓ | HV-HOTO |
| HVAC Pipe Insulation | ✓ | ✓ | ✓ | HV-PIPE |
| HVAC Tune-up and Optimization | | ✓ | ✓ | HV-TUNE |
| Hybrid or Fully Compressor-less HVAC | | ✓ | | HV-HYBD |
| Infrared Heater (Electric) | | ✓ | | HV-INFH |
| Infrared Heater (Gas) | | | ✓ | HV-INFG |
| Notched or Synchronous Drive Belt | ✓ | ✓ | | HV-SYNC |
| Outside Air Reduction | | ✓ | ✓ | HV-OAIR |
| Packaged Terminal Air Conditioner (PTAC) | | ✓ | | HV-PTAC |
| Radiative Cooling | | ✓ | | HV-RADC |
| Residential In-Unit Wall Furnace | | | ✓ | HV-FANT |
| Rooftop Unit Control Must include VFD control of RTU supply fan speed | | ✓ | ✓ | HV-RTUC |
| Rooftop Units or Packaged HVAC System | | ✓ | ✓ | HV-RTUP |
| Smart Thermostat Programmable and communicating thermostat | ✓ | ✓ | ✓ | HV-SMRT |
| Split/Mini Split Air Conditioning Unit - Commercial | | ✓ | | HV-MINC |
| Split/Mini Split Air Conditioning Unit - Residential In-Unit 18 SEER or above | | ✓ | | HV-MINR |
| Static Pressure Reset | | ✓ | ✓ | HV-STPR |
| Steam Trap Audit/Replacement | | | ✓ | HV-TRAP |
| Variable Air Volume (VAV) | | ✓ | ✓ | HV-VAVO |
| Variable Refrigerant Flow (VRF) | | ✓ | ✓ | HV-VRFL |
| Ventilation Fan ENERGY STAR | | ✓ | | HV-VFEN |
| VFD on Compressor Motor | | ✓ | | HV-VFDC |
| VFD on Pump or Fan Motor | | ✓ | | HV-VFDM |
| Industrial Measures | | | | |
| Air Receiver Tanks for Load/No Load Compressor | | ✓ | | IN-TANK |
| All-Electric Injection Molding Machine | | ✓ | | IN-INJE |
| Compressed Air Cycling, Desiccant, or Heat Pump Dryer | | ✓ | | IN-ADRY |
| Compressed Air Leak Audit and Repair | | ✓ | | IN-LEAK |
| Compressed Air No-Loss Drain | | ✓ | | IN-DRAI |
| Compressed Air Pressure Reduction | ✓ | ✓ | | IN-PRES |
| Energy Recovery Pressure Reducing Valve | | ✓ | | IN-EPRV |
| Exhaust Hood Control | | ✓ | ✓ | IN-HOOD |
| High Performance Circulator Pump Variable speed pump with ECM motor | | ✓ | | IN-HPCP |
| Notched or Synchronous Drive Belt | ✓ | ✓ | | IN-SYNC |



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|--|--|---|---|------------|
| | SI | E | G | |
| Industrial Measures (cont.) | | | | |
| Premium Efficiency Motor NEMA Premium® rated motor | | ✓ | | IN-PEMO |
| Process Heat Recovery | | ✓ | ✓ | IN-HEAT |
| Process Pump | | ✓ | | IN-PUMP |
| SCADA System | | ✓ | ✓ | IN-SCAD |
| Solar Water Heating for Process Applications | | ✓ | ✓ | IN-SLWH |
| VFD on Compressor Motor | | ✓ | | IN-VFDC |
| VFD on Process Pump or Fan Motor | | ✓ | | IN-VFDM |
| Lighting Measures | | | | |
| Controls: Indoor Daylight Sensor Wall or ceiling mount | | ✓ | | LI-DAYL |
| Controls: Indoor Networked Lighting System DLC qualified Networked Lighting Control | | ✓ | | LI-NLCI |
| Controls: Indoor Vacancy Sensor Wall or ceiling mount | | ✓ | | LI-VACI |
| Controls: Integrated Networked Lighting System DLC qualified Networked Lighting Control with Luminaire Level Lighting Control (LLLC) | | ✓ | | LI-INLC |
| Controls: Integrated Vacancy and Daylight Sensor Sensors are integral to the light fixture | | ✓ | | LI-ILCD |
| Controls: Integrated Vacancy Sensor Sensors are integral to the light fixture | | ✓ | | LI-ILCV |
| Controls: Outdoor Networked Lighting System DLC qualified Networked Lighting Control | | ✓ | | LI-NLCO |
| Controls: Outdoor Occupancy Sensor | | ✓ | | LI-OCCO |
| LED Accent/Track Light Fixture ENERGY STAR | | ✓ | | LI-TRAC |
| LED Case Light Fixture DLC qualified display case, horizontal refrigerated case, or vertical refrigerated case | | ✓ | | LI-CASE |
| LED Ceiling Mount or Pendant Fixture ENERGY STAR | | ✓ | | LI-CEIL |
| LED Decorative Screw-base Lamp ENERGY STAR | ✓ | ✓ | | LI-DECL |
| LED Directional Screw-base Lamp ENERGY STAR | ✓ | ✓ | | LI-DIRL |
| LED Downlight Fixture ENERGY STAR hard-wired recessed, surface, or pendant mount | | ✓ | | LI-DWNF |
| LED Downlight Screw-base Retrofit Kit ENERGY STAR recessed or surface mount; screw base retrofit | ✓ | ✓ | | LI-DWNR |
| LED Four-Pin Replacement Lamp DLC qualified vertical or horizontal lamps; UL type A | ✓ | ✓ | | LI-FPIN |
| LED General Service Screw-base Lamp ENERGY STAR | ✓ | ✓ | | LI-GENL |
| LED High/Low-Bay Fixture or Retrofit Kit DLC qualified high-bay, low-bay, or high-bay aisle | | ✓ | | LI-HIGH |
| LED Horticultural Hard-wired Light Fixture DLC qualified horticultural light fixture (hard-wired) | | ✓ | | LI-HORT |
| LED Horticultural Plug-in Light Fixture or Replacement Lamp DLC qualified horticultural light fixture (plug-in) or replacement lamp | ✓ | ✓ | | LI-HORR |
| LED Interior Directional Fixture DLC qualified wall wash or track | | ✓ | | LI-DIRF |
| LED Linear Ambient Fixture or Retrofit Kit DLC qualified direct or indirect linear | | ✓ | | LI-LINA |
| LED Linear Replacement Lamp (TLED) - Type A DLC qualified T8 or T5 linear replacement lamps (all dimensions); UL type A | ✓ | ✓ | | LI-TLED |
| LED Linear Replacement Lamp (TLED) - Type B and C DLC qualified T8 or T5 linear replacement lamps (all dimensions); UL types B and C | | ✓ | | LI-TLDB |



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|--|--|---|---|------------|
| | SI | E | G | |
| Lighting Measures (cont.) | | | | |
| LED Mogul Screw-base Replacement Lamp - Indoor DLC qualified high- or low-bay; UL types B or C | | ✓ | | LI-MOGI |
| LED Mogul Screw-base Replacement Lamp - Outdoor DLC qualified UL types B or C | | ✓ | | LI-MOGO |
| LED Outdoor Area Light Fixture or Retrofit Kit DLC qualified pole/arm-mounted area, decorative, wall-mounted, bollards, parking garage, canopy, flood, spot, stairwell | | ✓ | | LI-OUTA |
| LED Residential-style Outdoor Wall, Porch, Post, or Security Light Fixture ENERGY STAR | | ✓ | | LI-OUTW |
| LED Street Light Fixture or Retrofit Kit DLC qualified pole/arm-mounted roadway | | ✓ | | LI-OUTS |
| LED Tape Lighting | ✓ | ✓ | | LI-TAPE |
| LED Troffer Fixture or Retrofit Kit DLC qualified 2x2, 1x4, or 2x4 | | ✓ | | LI-TROF |
| LED Under-Cabinet or Cove Fixture ENERGY STAR | | ✓ | | LI-UCAB |
| Pool Product Measures | | | | |
| Gas Pool Water Heater | | | ✓ | PP-GAHT |
| Heat Pump Pool Water Heater | | ✓ | | PP-HPWH |
| Pool Cover (Electric Heater) | ✓ | ✓ | | PP-COVE |
| Pool Cover (Gas Heater) | ✓ | | ✓ | PP-COVG |
| Pool Pump Motor ENERGY STAR | | ✓ | | PP-CMTR |
| VFD on Pool Pump Motor | | ✓ | | PP-VFDM |
| Refrigeration Measures | | | | |
| Adaptive Commercial Refrigeration Equipment Variable speed compressor with a sensor-driven control system capable of capacity modulation. | | ✓ | | RF-ADAP |
| Add Doors to Open Case | ✓ | ✓ | | RF-DOOR |
| Add Insulation to Refrigerant Lines or Storage Tanks | ✓ | ✓ | | RF-INSU |
| Add Insulation to Refrigerated Enclosure | | ✓ | | RF-INSR |
| Aerofoils for Open Display Cases | | ✓ | | RF-AERO |
| Air Curtain | | ✓ | | RF-ACUR |
| Anti-Condensation Door/Frame Heater Control | | ✓ | | RF-DHCN |
| Auto-Close Doors for Walk-in Cooler or Freezer | | ✓ | | RF-ACDR |
| Chiller Upgrade, Retrofit, or Replacement | | ✓ | | RF-CHILL |
| Commercial Ice Machine ENERGY STAR | ✓ | ✓ | | RF-ICEM |
| Compressor Unit | | ✓ | | RF-COMP |
| Condensing Unit | | ✓ | | RF-COND |
| Evaporator Defrost Control for Freezer | | ✓ | | RF-DEFC |
| Evaporator Fan Brushless DC or ECM Motor | | ✓ | | RF-EECM |
| Evaporator Fan Motor Control | | ✓ | | RF-EFMC |
| Evaporator Fan Permanent Magnet Synchronous Motor (PMSM) | | ✓ | | RF-PMSM |
| Floating Head Pressure Control | | ✓ | | RF-FHPC |
| Low Charge Ammonia | | ✓ | | RF-AMON |
| Low Energy Anti-Condensation Door | | ✓ | | RF-LEDO |
| Natural or Low GWP Refrigerant Global Warming Potential (GWP) < 300 | | ✓ | | RF-RFGT |
| Phase Change Material for Refrigerated or Freezer Storage | ✓ | ✓ | | RF-PCMS |
| Rapid Close Doors for Refrigerated Warehouse | | ✓ | | RF-RCDO |
| Refrigerated Case Door Strip | ✓ | ✓ | | RF-STRP |
| Refrigerated Case Night Cover | ✓ | ✓ | | RF-COVR |
| Refrigeration Tune-up and Optimization | | ✓ | | RF-TUNE |
| Refrigerator or Freezer - Commercial ENERGY STAR | ✓ | ✓ | | RF-REFC |



Eligible Energy Measures (EEMs)

GoGreen Business Energy Financing

| Measure Name Requirements | Self-install (SI) eligibility & fuel type (E=Electric/G=Gas) | | | Measure ID |
|--|--|---|---|------------|
| | SI | E | G | |
| Refrigeration Measures (cont.) | | | | |
| Refrigerator or Freezer - Laboratory Grade ENERGY STAR | | ✓ | | RF-LABR |
| Refrigerator or Freezer - Reach-in ENERGY STAR | | ✓ | | RF-REAC |
| Vending Machines ENERGY STAR | ✓ | ✓ | | RF-VEND |
| VFD on Refrigeration Pump or Fan Motor | | ✓ | | RF-VFDM |
| Transportation | | | | |
| Electric Vehicle Charging Equipment, AC Level 1 or 2 ENERGY STAR; Must be capable of internet connectivity for grid interconnection | | ✓ | | TR-EVCH |
| Electric Vehicle Charging Equipment, DC Level 3 Must be ENERGY STAR certified with maximum output of 350 kW | | ✓ | | TR-EVCE |
| Water Heating Measures | | | | |
| Central Gas Domestic Water Heater or Boiler | | | ✓ | WH-CDWH |
| Faucet Aerator | ✓ | ✓ | ✓ | WH-FAER |
| Faucet Laminar Flow Restrictor | ✓ | ✓ | ✓ | WH-LAFR |
| Heat Pump Water Heater ENERGY STAR | | ✓ | | WH-HP55 |
| Recirculating Hot Water Pump Control Temperature sensor or time clock control | | ✓ | | WH-RECR |
| Shower Head - Low Flow | ✓ | ✓ | ✓ | WH-SHLF |
| Shower Thermostatic Valve | | ✓ | ✓ | WH-SHTV |
| Solar Water Heater ENERGY STAR | | ✓ | | WH-SOWH |
| Tank Insulation | ✓ | ✓ | ✓ | WH-TINS |
| Tank Water Heater (Gas) ENERGY STAR | | | ✓ | WH-WHEG |
| Tankless Water Heater (Electric) | | ✓ | | WH-ETNK |
| Tankless Water Heater (Gas) ENERGY STAR | | | ✓ | WH-GTNK |
| Water Pipe Insulation | ✓ | ✓ | ✓ | WH-PIPE |
| Other Measures | | | | |
| Building Management System (BMS) | | ✓ | ✓ | OT-BMSY |
| Commercial Laundry - Clothes Washer (Electric Hot Water) ENERGY STAR | | ✓ | | OT-CCWE |
| Commercial Laundry - Clothes Washer (Gas Hot Water) ENERGY STAR | | | ✓ | OT-CCWG |
| Commercial Laundry - Dryer Moisture Sensor Retrofit (Electric) | | ✓ | | OT-EDMS |
| Commercial Laundry - Dryer Moisture Sensor Retrofit (Gas) | | | ✓ | OT-GDMS |
| Commercial Laundry - Modulating Gas Valve | | | ✓ | OT-CMGV |
| Commercial Laundry - Ozone System (Electric Hot Water) | | ✓ | | OT-OZOE |
| Commercial Laundry - Ozone System (Gas Hot Water) | | | ✓ | OT-OZOG |
| Energy Audit | | ✓ | ✓ | OT-EAUD |
| Energy Management System (EMS) | | ✓ | ✓ | OT-EMSY |
| Energy Measurement, Metering or Monitoring Equipment Must be installed with at least one other non-lighting Energy Savings Measure on this list | ✓ | ✓ | ✓ | OT-METR |
| Generator Circulating Block Heater | | ✓ | | OT-GCIR |
| High Efficiency Distribution Transformer | | ✓ | | OT-TRAN |
| Other Measures Qualifying Through IOU/REN/CCA Programs Measure not elsewhere on this list that qualifies for an IOU/REN/CCA demand-side energy management program or demand response program. | | ✓ | ✓ | OT-REBA |
| Other Measures Qualifying Through IOU/REN/CCA Programs - Self-Install Measure not elsewhere on this list that qualifies for an IOU/REN/CCA demand-side energy management program or demand response program and for which the IOU/REN/CCA program allows self-install. | ✓ | ✓ | ✓ | OT-REBB |
| Plug Load Control | ✓ | ✓ | | OT-PLUG |